



SUPERIOR UNIVERSAL VINYL

GATE BROCHURE



STANDARD GATE



CHARACTERISTICS

This gate can be built with either 4 x 4 or 5 x 5 uprights. We use galvanized steel gate plates in each corner. This gate also requires a support truss.


ADVANTAGES

- Easily built in field (quick and easy assembly)
- Keeps similar ascetics of privacy fencing

DISADVANTAGES

- Heavier than other styles

RIVITED GATE



CHARACTERISTICS

This gate uses 2" x 6" uprights with a 1 1/2" x 5 1/2" pocket rails. Rails are fastened with rivets covered with colored button head caps.

ADVANTAGES


- Less weight
- No truss support needed

DISADVANTAGES

- Difficult to modify

- 1 ½" x 5 ½" rail may not match your privacy fence

WELDED GATE



CHARACTERISTICS

This gate used a 2" x 7" or 1 ½" x 5 ½" pocket rail as a picture frame

ADVANTAGES

- Welding eliminates any possible moving joint eliminating any possibility of racking or sagging
- Light weight
- Strength is unmatched

DISADVANTAGES

- Gate cannot be built in field
- Gate cannot be modified

TIPS WHEN ORDERING YOUR GATES

- **SPECIFY WHICH GATE STYLE YOU PREFER**
- **HAVE EXACT MEASUREMENTS READY (WIDTH AND HEIGHT)**
- **SUV'S STANDARD DEDUCTION FOR WIDTH OPENING IS 2 ½"**
- **SUV DOES NOT HAVE A STANDARD DEDUCTION FROM HEIGHT**
- **IF YOUR GATE REQUIRES A SUPPORT TRUSS, BE PREPARED TO KNOW FROM WHICH SIDE YOUR GATE WILL HINGE FROM**
- **STANDARD HARDWARE INCLUDES NON SELF CLOSING HINGES AND LARGE PADDLE LATCH**
- **SELF CLOSING HINGES AND SECURITY LATCHES ARE AVAILABLE FOR UPGRADE**
- **CUSTOM GATES WILL REQUIRE VERY SPECIFIC DRAWINGS ALONG WITH CUSTOMER SIGNATURES**



- 5 X 5 UPRIGHTS
- 4 X 4 UPRIGHTS
- 2 X 6 UPRIGHTS
- WELDED (SPECIFY FRAME)

PLEASE CHECK BOX TO HAVE STANDARD DEDUCTION REMOVED FROM WIDTH